



MARFIL

TILES 



600x
1200mm
RUSTIC FINISH

rocca
SERIES



MESH MAGIC

OUR MESH PUNCH RESEMBLES
WITH SPORTS NETS

rocca
SERIES

4 COLORS

PLAIN + PUNCH

THE CREATIVE PATTERNED PUNCH FASCINATES ALL

This collection offers 4 colors in plain and mesh punch which is developed with our intense R&D team and is detailed to perfection.

CLASSY COLORS THAT
MATCH YOUR CLASS

APRICOT

DOLPHIN


MUSHROOM

GRAPHITE




600x
1200mm
RUSTIC FINISH

9mm
THICKNESS



NEXT GENERATION SURFACE MARVEL

Presenting the surfaces that has textural detailing that is never know before and is truly futuristic. It is developed to fulfil architectural vision and amaze everyone.



marfilitiles.net



WALL : MESH ROCCA APRICOT
FLOOR : ROCCA APRICOT

rocca
SERIES

MESH ROCCA
APRICOT

FACE 09



ROCCA
APRICOT

FACE 09






WALL : MESH ROCCA DOLPHIN
FLOOR : ROCCA DOLPHIN



rocca
SERIES

| MESH ROCCA
DOLPHIN

FACE 09



| ROCCA
DOLPHIN

FACE 09






WALL : MESH ROCCA MUSHROOM
FLOOR : ROCCA MUSHROOM



rocca
SERIES

MESH ROCCA
MUSHROOM

FACE 09



ROCCA
MUSHROOM

FACE 09







WALL : MESH ROCCA GRAPHITE
FLOOR : ROCCA GRAPHITE



rocca
SERIES

MESH ROCCA
GRAPHITE


FACE 09




ROCCA
GRAPHITE

FACE 09







MESH ROCCA
APRICOT



MESH ROCCA
DOLPHIN



MESH ROCCA
MUSHROOM



MESH ROCCA
GRAPHITE



ROCCA
APRICOT




ROCCA
DOLPHIN



ROCCA
MUSHROOM



ROCCA
GRAPHITE



Technical Specification

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP BIa	MEAN VALUE OF DIGITAL FULL BODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	+ 5.00%	+2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	+ 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Glossiness	Gloss Meter	Min. 90%	Glossometer
Water Absorption	≤ 0.50%	E ≤ 0.03%	ISO-10545-3
Breaking Strength	1300 N	1800 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm³	ISO-10545-6
Moh's Hardness	Min. 6	≤ 6*	EN101
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Thermal Shock	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion	<9 x 10-6	< 6 x 10-6	ISO-10545-8
Resistance of House Hold Chemical	No Damage	No Damage*	ISO-10545-13
Stain Resistance	Resistance	Resistance*	ISO-10545-14
Slip Resistance(friction Co Efficient)	> 0.40	> 0.40	ISO-10545-17

Packing Details

SIZE	PCS./BOX	WEIGHT / BOX (Approx)		COVERAGE AREA / BOX
		POLISHED	MATT	
600x1200mm (9 mm)	2 Pcs.	27.5 Kg.	29.5 Kg.	1.44 mtr ²





MARFIL TILES LLP.

Survey No. 171/172, Bh. Tekza Ceramic,
Sartanpar Road, At. Ratavirda Village,
Ta. Wankaner 363 621, Dist. Morbi, Gujarat, INDIA

marfilitiles.net | [f](#) [p](#) [@](#) [in](#)